

EAST SEARCH 03/14/06 TM

Conia Mando

	Type	Hits	Search Text	DBs
1	BRS	14	stack adj register adj renam\$4	USPAT
2	BRS	9	(stack adj register adj renam\$4) and synchroni\$5	USPAT
3	BRS	0	(stack adj register adj renam\$4) and puish and pop	USPAT
4	BRS	14	(stack adj register adj renam\$4) and push and pop	USPAT
5	BRS	0	WO98/13740	US- PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB
6	BRS	2	98/13740	US- PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB
7	BRS	425	"13740"	US- PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB
8	BRS	425	"13740"	US- PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB
9	BRS	1	"13740"	EPO; JPO

	Type	Hits	Search Text	DBs
10	BRS	0	"13740"	EPO
11	BRS	1	"9813740"	EPO
12	BRS	0	"3737871".pn.	EPO
13	BRS	1	"3737871".pn.	USPAT
14	BRS	1	"3548384".PN.	USPAT
15	BRS	1	"3510847".PN.	USPAT
16	BRS	1	"3601809".PN.	USPAT
17	BRS	1	"3546677".PN.	USPAT
18	BRS	1	"3601809".PN.	USPAT
19	BRS	9	"3737871".URPN.	USPAT
20	BRS	1	"3737872".pn.	USPAT
21	BRS	11	separate adj pipelin\$3 adj stage	USPAT
22	BRS	1	"3675214".pn.	USPAT
23	BRS	0	"08721698".an.	USPAT
24	BRS	0	"8721698".an.	USPAT
25	BRS	0	"8721698"	USPAT
26	BRS	0	"8721698"	US- PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB
27	BRS	0	"08721698"	US- PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB
28	BRS	425	"08721698" "13740"	US- PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB

	Type	Hits	Search Text	DBs
29	BRS	425	"13740"	US- PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB
30	BRS	425	"13740"	US- PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB
31	BRS	3	"9813740"	US- PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB
32	BRS	2	"5926832".pn.	US- PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB
33	BRS	1581	in adj order adj write	US- PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB

	Type	Hits	Search Text	DBs
34	BRS	3	in-order adj write	US- PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB
35	BRS	8	((advantag\$5 or desir\$5 or obvious)same(in adj order adj write))and processor	US- PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB
36	BRS	447	(in adj order adj write) and processor	US- PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB
37	BRS	0	(in adj order adj write) and processor and load and soter	US- PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB
38	BRS	181	(in adj order adj write) and processor and load and store	US- PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB

	Type	Hits	Search Text	DBs
39	BRS	1	(in adj order adj writes) and processor and load and store	US- PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB
40	BRS	77	barrier adj instruction	US- PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB
41	BRS	4	"4126893".pn.	US- PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB
42	BRS	2	"5261067".pn.	US- PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB
43	BRS	2	"6286095".pn.	US- PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB

	Type	Hits	Search Text	DBs
44	BRS	27	synchroni\$5 and (barrier adj instruction)	US- PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB
45	BRS	11	(cache adj coherency) and (barrier adj instruction)	US- PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB
46	BRS	2	"5926832".pn.	US- PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB
47	BRS	93	712/202.ccls.	US- PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB
48	BRS	1	"5842008".pn.	USPAT
49	BRS	16	bank with way with independent	USPAT
50	BRS	1	"5842008".pn.	USPAT
51	BRS	1	"5838038".PN.	USPAT
52	BRS	86	bank with (way or array) with independent	USPAT
53	BRS	70	bank with (array) with independent	USPAT
54	BRS	1	"5970003".PN.	USPAT

	Type	Hits	Search Text	DBs
55	BRS	1	"6088252".PN.	USPAT
56	BRS	0	"2001/0000691".PN.	USPAT
57	BRS	0	"2001/0000691".PN.	USPAT
58	BRS	0	"2001/0000691".PN.	USPAT
59	BRS	0	"2001/0028593".PN.	USPAT
60	BRS	0	"2001/0028593".PN.	USPAT
61	BRS	0	"6535451".URPN.	USPAT
62	BRS	0	"6535451".URPN.	USPAT
63	BRS	0	"6535451".URPN.	USPAT
64	BRS	28	bank with (way) with independent	USPAT
65	BRS	2	bank with (way) with independent with number	USPAT
66	BRS	2000	bank near5 way	USPAT
67	BRS	1209	(bank near5 way) and memory	USPAT
68	BRS	766	(bank near3 way) and memory	USPAT
69	BRS	35349 3	((bank near3 way) near "5842008".pn. number)and memory	USPAT
70	BRS	50	((bank near3 way) near2 number) and memory	USPAT
71	BRS	1	"5835948".pn.	USPAT
72	BRS	130	stack adj cache	USPAT
73	BRS	106	(stack near2 (cache or based)) and ((multi adj processor) or (multi-processor) or multiprocessor)	USPAT
74	BRS	2	HP4000	USPAT
75	BRS	92	712/202.ccls.	USPAT
76	BRS	37	712/202.ccls. and branch	USPAT
77	BRS	13	712/202.ccls. and renam\$5	USPAT
78	BRS	423	Yeager.in.	USPAT
79	BRS	0	Yeagear.in.	USPAT
80	BRS	0	Yeager.in. and processor and reservation	USPAT
81	BRS	423	Yeager.in.	USPAT
82	BRS	1	Yeager.in. and "712"/\$.ccls.	USPAT
83	BRS	173	free adj stack	USPAT
84	BRS	4	free adj list adj stack	USPAT
85	BRS	1	active adj list adj stack	USPAT
86	BRS	164	active adj stack	USPAT
87	BRS	4	rename adj stack	USPAT
88	BRS	8	"5758112".URPN.	USPAT

	Type	Hits	Search Text	DBs
89	BRS	13	712/202.ccls. and renam\$4	US- PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB
90	BRS	38961	data adj buffer	US- PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB
91	BRS	1	"5758112".pn.	USPAT
92	BRS	22	meonske	USPAT
93	BRS	1	"5758112".pn.	USPAT
94	BRS	2	"5758112".pn. or "5881305".pn.	USPAT
95	BRS	1	"5764946".pn.	USPAT
96	BRS	89	speculative near2 stack	USPAT
97	BRS	116	speculative near2 stack	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB
98	BRS	47	register adj renam\$3 with stack\$3	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB

	Type	Hits	Search Text	DBs
99	BRS	57	register adj renam\$3 with stack\$3	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB
100	BRS	2	"5874531".pn.	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB
101	BRS	8	"5874531".pn. or "6009509".pn. or "6502184".pn.	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB
102	BRS	8	"5974531".pn. or "6009509".pn. or "6502184".pn.	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB

	Type	Hits	Search Text	DBs
103	BRS	2	"5694564".pn.	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB